

MVL-AF4028M-M42

APS-C 40 mm Focal Length FA Lens


The APS-C fixed-focus lens are optimized for the application of large pixel line scan cameras in the machine vision industry, with excellent imaging quality, high image uniformity and low distortion design, magnification range from 0.04 x to 0.22 x. It is suitable for defect detection applications in PCB, packaging and printing industry.



Key Features

- Provides excellent consistency of image clarity.
- Provides large aperture, low distortion, low chromatic aberration, and high relative illumination.
- Provides max. image size $\Phi 37$ mm for APS-C area scan and 4k line scan cameras.

Dimension



Specification

Model	MVL-AF4028M-M42
Parameter	Fixed focal length, Manual iris, APS-C lens
Performance	
Focal length	40 mm
F-number	F2.8 to F22
Image size	Φ37 mm
Optical distortion	0.62%
Magnification range	0.22 x to 0.04 x
Working distance range	200 mm to 1051 mm
Mechanical	
Iris control	Manual
Focus control	Manual
Filter thread	M37 × 0.75
Mount	M42 × P1
Flange back length	12 mm
Dimension	Φ47.6 mm × 62.7 mm (Φ1.9" × 2.5")
Weight	171 g (0.4 lb.)
Temperature	-10 °C to 50 °C (14 °F to 122 °F)
General	
Certification	RoHS 2.0

Field of View

Working Distance (mm)	Magnification	Object Image Distance (mm)	Field of View H (4k 7 μm)
200	-0.220	277.8	130.8
250	-0.185	311.8	155.4
300	-0.151	360.4	190.1
350	-0.128	419.5	224.7
400	-0.111	458.8	259.4
450	-0.098	508.3	294.0
500	-0.087	557.8	164.3
550	-0.079	607.5	363.3
600	-0.072	657.2	397.9
650	-0.066	706.8	432.5
700	-0.062	756.8	467.2
750	-0.057	806.6	501.8
800	-0.054	856.4	536.5
850	-0.050	906.3	571.1
900	-0.047	956.2	605.7
950	-0.045	1006.1	640.3
1000	-0.043	1056.0	675.0

HIKROBOT

Hangzhou Hikrobot Co., Ltd.
en.hikrobotics.com

© Hangzhou Hikrobot Co., Ltd. All Rights Reserved.

Hangzhou Hikrobot does not tolerate any infringement. Any organization or individual may not imitate or reproduce in whole or in part of the content. The data herein is based on Hikrobot's internal evaluation. Actual data may vary depending on specific configuration and operating condition. The information herein is subject to change without notice. All the content has been checked conscientiously. Nevertheless, Hikrobot shall not be liable to damages resulting from errors, inconsistencies or omissions.